


Ø


## LEGA 6082 T6

| DIMENSIONE in mm | Kg/m   | DIMENSIONE in mm | Kg/m    |
|------------------|--------|------------------|---------|
| 20               | 0,848  | 120              | 30,521  |
| 22               | 1,026  | 125              | 33,118  |
| 25               | 1,325  | 130              | 35,821  |
| 26               | 1,433  | 140              | 41,452  |
| 28               | 1,663  | 150              | 47,690  |
| 30               | 1,909  | 160              | 54,259  |
| 32               | 2,170  | 170              | 61,255  |
| 35               | 2,596  | 180              | 68,672  |
| 40               | 3,391  | 190              | 76,515  |
| 45               | 4,293  | 200              | 84,780  |
| 50               | 5,300  | 210              | 93,471  |
| 55               | 6,413  | 220              | 102,580 |
| 60               | 7,630  | 230              | 112,120 |
| 65               | 8,956  | 240              | 122,080 |
| 70               | 10,387 | 250              | 132,470 |
| 75               | 11,923 | 260              | 143,270 |
| 80               | 13,565 | 270              | 154,511 |
| 85               | 15,314 | 280              | 166,160 |
| 90               | 17,169 | 300              | 190,750 |
| 95               | 19,130 | 320              | 217,040 |
| 100              | 21,195 | 330              | 230,815 |
| 105              | 23,369 | 350              | 259,650 |
| 110              | 25,647 | 380              | 306,056 |
| 115              | 28,031 | 400              | 339,120 |



## LEGA 2011 T3 / T6

| DIMENSIONE in mm | Kg/m  | DIMENSIONE in mm | Kg/m   |
|------------------|-------|------------------|--------|
| 8                | 0,142 | 35               | 2,716  |
| 9                | 0,180 | 36               | 2,817  |
| 10               | 0,222 | 38               | 3,200  |
| 11               | 0,269 | 40               | 3,547  |
| 12               | 0,319 | 42               | 3,909  |
| 13               | 0,374 | 44               | 4,286  |
| 14               | 0,435 | 54               | 4,486  |
| 15               | 0,498 | 46               | 4,686  |
| 16               | 0,567 | 48               | 5,384  |
| 17               | 0,635 | 50               | 5,542  |
| 18               | 0,718 | 52               | 5,732  |
| 20               | 0,885 | 55               | 6,704  |
| 21               | 0,977 | 58               | 7,447  |
| 22               | 1,072 | 60               | 7,976  |
| 23               | 1,175 | 65               | 9,362  |
| 24               | 1,278 | 70               | 10,858 |
| 25               | 1,385 | 75               | 12,467 |
| 26               | 1,497 | 80               | 14,184 |
| 27               | 1,602 | 85               | 16,020 |
| 28               | 1,740 | 90               | 17,950 |
| 30               | 1,995 | 100              | 22,160 |
| 32               | 2,269 | 110              | 26,800 |
| 34               | 2,561 | 120              | 31,893 |



Ø

## LEGA 7075 T6

| DIMENSIONE in mm | Kg/m   | DIMENSIONE in mm | Kg/m   |
|------------------|--------|------------------|--------|
| 15               | 0,495  | 85               | 14,88  |
| 20               | 0,88   | 90               | 17,804 |
| 25               | 1,374  | 100              | 21,98  |
| 30               | 1,979  | 110              | 26,596 |
| 35               | 2,693  | 120              | 31,652 |
| 40               | 3,517  | 130              | 37,147 |
| 50               | 5,495  | 140              | 43,081 |
| 55               | 6,649  | 150              | 49,455 |
| 60               | 7,913  | 160              | 56,269 |
| 65               | 9,287  | 170              | 63,523 |
| 70               | 10,771 | 180              | 71,216 |
| 75               | 12,364 | 200              | 87,92  |
| 80               | 14,068 |                  |        |